

ECONOMIC IMPACT OF AFLATOXIN

AFLATOXIN'S NEGATIVE IMPACT ON TRADE



CAADP PILLAR II

The ultimate objective of Pillar II is to accelerate growth in the agricultural sector by raising the capacities of private entrepreneurs, including commercial and smallholder farmers, to meet the increasingly complex quality and logistics needs of domestic, regional, and international markets, focusing on strategic value chains with the greatest potential to generate broad-based income growth and create wealth in the rural areas and the rest of the economy. The Pillar agenda focuses on policy and regulatory actions, infrastructure development, capacity-building efforts, and partnerships and alliances that could facilitate smallholder-friendly development of agricultural value chains to stimulate poverty-reducing growth across African countries. Sanitary and Phytosanitary issues, food safety, and aflatoxin in particular, presents obstacles to trade and must be addressed in a comprehensive way to support these Pillar II objectives.

Highlights

- 25% of world food crops are affected.
- Aflatoxin continues to be a significant problem in Africa and Asia and has enormous economic consequences on commodity losses, health and trade, especially where it is unregulated.
- Contamination is proving to be a major barrier in linking African farmers to markets as aflatoxin prevents commodities from meeting international, regional and local regulations and standards governing agricultural trade and food safety.
- Only 15 countries in Sub-Saharan Africa have regulation governing aflatoxin making trade challenging.
- The estimated annual loss to African food exporters of cereals, dried fruit and nuts from attempting to meet EU aflatoxin standards is roughly **\$670 million** (Otsuki et al. 2001)

BACKGROUND

Aflatoxins are highly toxic, cancer causing fungal metabolites known to cause immune-system suppression, growth retardation, liver disease, and death in both humans and domestic animals. According to the United Nations Food and Agriculture Organization (FAO), 25% of world food crops are affected, and countries that are situated between the 40°N and 40°S are the most at risk. Without mitigation measures, small producers, mainly women, are those hit hardest. Aflatoxin contributes to significant nutritional and economic losses in major commodities which form the economic backbone of many African economies; groundnuts, maize, sorghum, cassava, yam chips, cotton seeds, coffee, cocoa, copra, and oils. Beyond affecting crops, aflatoxin contamination

also impacts the production of healthy livestock through contaminated feed. Animal exposure causes a decrease in milk and egg yields and serious illness. Human exposure to aflatoxins is limited by regulations that prohibit the use of crops containing excess quantities of aflatoxins for foods and feeds. Aflatoxins are regulated in part per billion (ppb) ranges with the maximum allowable level varying with country and intended use of the commodity. The quantity permitted in U.S. foods and feeds ranges from 0.5 ppb to 20 ppb, depending on how the material will be used. The EU has set the limit for aflatoxin in foods destined for human consumption at 2 ppb (aflatoxin B₁) and 4 ppb (total aflatoxins). According to FAO, only 15 African coun-

tries had regulatory limits for aflatoxins as of 2003, but even in countries with regulations, food that does not move through formal market channels *e.g.*, almost all food sold in local markets, is effectively unregulated in Africa. Contamination is proving to be a major obstacle in linking African farmers to markets as aflatoxin prevents commodities from meeting international, regional and local regulations and standards governing agricultural trade and food safety. Unless aflatoxin levels in crops and livestock are effectively managed, agricultural development efforts to achieve greater food security and improve health and trade, especially among small farmers, will be undermined. In 2001, a study estimated that African food exporters lose \$670 million per year by not meeting EU safety standards alone.

AFLATOXIN AFFECTS ALL FOUR CAADP PILLARS INTENDED TO ACCELERATE AGRICULTURAL GROWTH, REDUCE POVERTY AND ACHIEVE FOOD AND NUTRITION SECURITY

- Pillar I. Extending the area under sustainable land management and reliable water control systems
- Pillar II. Improving rural infrastructure and trade related capacities for market access
- Pillar III. Increasing food supply, reducing hunger, and improving responses to food-emergency crises
- Pillar IV. Improving agriculture research and technology dissemination and adoption.

ECONOMIC INCENTIVE

In developed countries, there is significant economic incentive to develop aflatoxin mitigation solutions. Preventing human exposure to aflatoxins involves removing crops with unacceptable aflatoxin contents from both foods and feeds. Annually, millions of dollars of crops are destroyed, in order to prevent human exposure. Contaminated crops may also be directed to alternative uses as a means to control entry into the food supply; for example, they may be used for oil production, turned into fuel, or detoxified using aflatoxin binders and ammoniation (destruction of the aflatoxin with ammonia) reducing financial losses for farmers.

KENYA: In recent years, aflatoxin contamination of maize products have led to outbreaks of acute aflatoxicosis in Kenya; out of 317 reported cases of aflatoxicosis among people in 2004, 125 cases resulted in death, with similar events repeated during 2005 to 2008. In 2010, the Government of Kenya estimates that a full ten percent of Kenya's maize harvest was contaminated by aflatoxin. With ten percent of the maize harvest essentially "lost," the resulting economic losses in Kenya are estimated to be approximately \$100 million (IITA) as aflatoxin contamination cuts across the value chain, affecting farmers, millers, traders, markets and finally, consumers, devastating the Kenyan maize market. The impact on health is equally alarming, especially for small farmers, the majority of whom are women, and their families who eat their own production.

STUDIES ON TRADE AND PREVALENCE

- Bandyopadhyay R, Leslie J F, and Frederiksen R A** 2008 Nominal Group Discussion Technique: Questions and Responses. Pages 19-25 in *Mycotoxins: Detection Methods, Management, Public Health and Agricultural Trade*. J F Leslie, R Bandyopadhyay and A Visconti eds. CABI Publishing, Wallingford, UK.
- Borgemeister, C., Adda, C., Sétamou, M., Hell, K., Djamamou, B., Markham, R.H., and Cardwell, K.F.** 1998. Timing of harvest in maize: Effects on post harvest losses due to insects and fungi in central Benin, with particular references to *Prostephanus truncatus* (Horn) (Coleoptera: Bostrichidae). *Agriculture, Ecosystem & Environment* **69**:33-242.
- Cotty P.J., Probst C, and Jaime-Garcia R** 2008 Aetiology and management of aflatoxin contamination. Pages 287-300 in *Mycotoxins: Detection Methods, Management, Public Health and Agricultural Trade*. J F Leslie, R Bandyopadhyay and A Visconti, eds CABI Publishing, Wallingford, UK.
- Leslie J F, Bandyopadhyay R, Visconti A** (eds) 2008 *Mycotoxins: Detection Methods, Management, Public Health and Agricultural Trade*. CABI Publishing, Wallingford, UK.
- Atehnkeng J, Ojiambo P S, Donner M, Ikotun T, Sikora R A, Cotty P J and Bandyopadhyay R.** 2008a Distribution and toxigenicity of *Aspergillus* species isolated from maize kernels from three agroecological zones in Nigeria. *International Journal of Food Microbiology* **122**: 74-84.
- Cotty P.J. and Cardwell K F** 1999 Divergence of West African and North American communities of *Aspergillus* section Flavi. *Applied and Environmental Microbiology* **65**: 2264-2266.
- Cotty, P.J. and Jaime-Garcia, R.,** 2007, Influences of climate on aflatoxin producing fungi and aflatoxin contamination, *International Journal of Food Microbiology* **119**, 109-115.
- Crauford, P.W., Prasad, P.V.V., Waliyar, F., and Taheri, A.** 2006 Drought, pod yield, pre-harvest *Aspergillus* infection and aflatoxin contamination on peanut in Niger. *Field Crops Research*. **98**:20-29.
- Donner M, Atehnkeng J, Bandyopadhyay R, Sikora R A, Cotty P J** 2008 Distribution of *Aspergillus* section Flavi in soils of various maize fields among three agroecological zones of Nigeria. *Soil Biology and Biochemistry* **41**: 37-44.
- Hell, K., Cardwell, K.F., and Poehling, H.M.** 2003. Distribution of fungal species and aflatoxin contamination in stored maize in four agroecological zones in Benin, West-Africa. *Journal of Phytopathology* **151**:690-698.
- Hell, K., Cardwell, K.F., Sétamou, M., and Schulthess, F.** 2000a. Influence of insect infestation on aflatoxin contamination of stored maize in four agroecological regions in Benin. *African Entomology* **8**:169-177.
- Kaaya, A.N., and Kyamanywa, S., and Kyamuhangire, W.,** 2006. Factors affecting aflatoxin contamination of harvested maize in the three agroecological zones of Uganda. *Journal of Applied Sciences* **6**(11): 2401-2407.
- Kaaya, A.N., Warren, H.L., Kyamanywa, S., and Kyamuhangire, W.,** 2005. The effect of delayed harvest on moisture content, insect damage, moulds and aflatoxin contamination of maize in Mayuge district of Uganda. *J Sci Food Agric* **85**:2595-2599.
- Lewis, L., Onsongo, M., Njapau, H., Schurz-Rogers, H., Lubber, G., Kieszak, S., Nyamongo, J., Backer, L., Dahiye, A., Misore, A., DeCock, K., Rubin, C.,** 2005. Aflatoxin contamination of commercial maize products during an outbreak of acute aflatoxicosis in Eastern and Central Kenya. *Environmental Health Perspectives* **113**: 1762-1767.
- Sétamou, M., Cardwell, K.F., Schulthess, F., and Hell, K.** 1997. *Aspergillus flavus* infection and aflatoxin contamination of preharvest maize in the Republic of Benin. *Plant Disease* **81**:1323-1327.

HARMONISATION OF SPS MEASURES ARE NECESSARY TO IMPROVE MARKET ACCESS AND IMPROVE BOTH INTER-REGIONAL AND INTERNATIONAL TRADE

One of the barriers to intra-regional trade is sanitary and phytosanitary (SPS) measures. SPS issues can restrict intra-regional and international trade for three reasons. First, the lack of a harmonized approach to SPS issues hinders trade and differing regulations in various countries increases transaction and trading costs, reducing the benefits of and acting as a disincentive to trade.

Second, a lack of information can lead countries to adopt justifiable measures, which may not be necessary if there were greater access to information. Third, SPS capacity is uneven amongst countries. Countries with weaker SPS capacity will find it more difficult to trade with countries where SPS capacity is stronger.

Thus countries with stronger economies and greater SPS capacity generally enjoy a larger share of the trade. Uneven trade relationships will tend to widen if SPS barriers are not addressed, not only between economies in Africa, but between developing and developed nations where regulations are enforced.

AFRICAN UNION UNION AFRICAINE

African Union Common Repository

<http://archives.au.int>

Agriculture and Food Security

Partnership for Aflatoxin Control in Africa (PACA) collection

2011

ECONOMIC IMPACT OF AFLATOXIN

<http://archives.au.int/handle/123456789/50>

Downloaded from African Union Common Repository